

tru styleTM

AWNING SYSTEMS BY UNILINE

RETAIL BROCHURE



Creating the most alluring shade in Australia



PROUDLY AUSTRALIAN

Uniline was established in 1965, and is an Australian owned and operated business. Uniline has long been synonymous with providing high quality window furnishing systems, components and fabrics for the wholesale and retail fabrication markets, with a large number of our products proudly Australian designed and manufactured.

Uniline has warehouses in Queensland, New South Wales, Victoria, Western Australia and New Zealand.



ICONIC BRANDS

Uniline is home to some of the best, well known brands in the window furnishings industry; listed below are just few. Ask your supplier about Uniline products.

tru style
AWNING SYSTEMS BY UNILINE

By Uniline
SOLA
ROLLER BLIND SYSTEM

By Uniline Australia
PROTECTA
AWNING SYSTEMS

By Uniline
UniGlide

slim series
VERTICAL BLINDS - BY UNILINE

Dawn
BY UNILINE

NOW AVAILABLE AT A SUPPLIER NEAR YOU...



Tru-style by Uniline is a complete suite of external awning systems that has but one aim: to combine perfect functionality and energy-efficiency with a sublimely aesthetic appearance.

Tru-style Awnings have been designed to withstand and protect against the harsh Australian environment since 1999. Whether it be the sun, wind, or rain, our innovative range of awnings will stand the test of time while providing shading solutions for almost any window, patio or balcony application. Compliment your awning with one of the best fabrics on the market today **ScreenView 5%** fabric by Uniline.

“Tru-style Awnings - The best under the sun”



COLOUR RANGE

Tru-style hooding and hood ends comes in a range of standard contemporary colorbond® colours, we also offer custom colours. So you can be assured to having a perfect matching exterior. New Multi-roll hooding available in 10 colours (highlighted by*)





MULTI-STOP AWNING SYSTEMS


Multi-stop Side Channel Awning has a very neat streamlined appearance with no exposed cords, cleats or visible wires. A simple twist of the bottom rail allows you to pull the blind up and down. A simple twist back and the blind is locked in position. Choose from 50mm or 63mm Unispring Assembly.

Ideal for windows and pergolas while inviting cool breezes with privacy and heat protection.

SPRING OPERATION


MULTI-STOP - BASIC AWNING

- Classic exposed awning
- Suited for undercover areas
- Stainless steel fittings.
- Standard colours available for bottom rail, side channels and fittings.
- Spring-loaded top roller keeps awning taut.
- Available in 7 bracket colours.
- Custom colours available.




MULTI-STOP - OVER-ROLL AWNING

- Folded angle hooding
- For both undercover & exposed areas.
- Available in 17 colours.
- Hooding & hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.




MULTI-STOP - UNDER-ROLL AWNING

- Folded angle hooding with beaded edge.
- Suited for both undercover & exposed areas.
- Available in 17 colours.
- Hooding and hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.



MULTI-STOP - MULTI-ROLL AWNING

- Smooth curved hooding
- Suited for both undercover & exposed areas.
- Available in 10 colours.
- Hooding and hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.



** Wind resistant, we strongly recommend in strong winds that awnings be retracted.

* See colour choice on page 2.

STREAMLINE

tru style™
AWNING SYSTEMS BY UNILINE



PROTECTS AGAINST



SUN



RAIN



WIND**

OPERATION



SPRING

WARRANTY



5
5 YEAR
COMPONENTS
WARRANTY



STRAIGHT DROP AWNING SYSTEMS

Straight Drop Awning has a sophisticated appearance and is suitable for low wind areas. These awnings are suitable for most outdoor applications from windows, doorways, undercover areas, or outdoor eateries, while inviting cool breezes with privacy and heat protection.

With optional fixing straps, you have the ability to secure on lower mounting points if and when required. The straight drop is a clever and simple solution making privacy easy.


GEAR OR MOTOR OPERATION OPTION

STRAIGHT DROP - BASIC AWNING

- Classic exposed awning
- Suited for undercover areas
- Stainless steel fittings.
- Standard colours available for bottom rail, side channels and fittings.
- Spring-loaded top roller keeps awning taut.
- Available in 7 bracket colours.
- Custom colours available.



No Hood



STRAIGHT DROP - OVER-ROLL AWNING

- Folded angle hooding
- For both undercover & exposed areas.
- Available in 17 colours.
- Hooding & hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.



Hood Profile



STRAIGHT DROP - UNDER-ROLL AWNING

- Folded angle hooding with beaded edge.
- Suited for both undercover & exposed areas.
- Available in 17 colours.
- Hooding and hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.



Hood Profile



STRAIGHT DROP - MULTI-ROLL AWNING

- Smooth curved hooding
- Suited for both undercover & exposed areas.
- Available in 10 colours.
- Hooding and hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.



Hood Profile



** Wind resistant, we strongly recommend in strong winds that awnings be retracted.

* See colour choice on page 2.

PRIVACY MADE EASY

tru style™
AWNING SYSTEMS BY UNILINE



PROTECTS AGAINST



SUN



RAIN



WIND**

OPERATION OPTIONS



MOTORISED



GEARBOX

WARRANTY



5
5 YEAR
COMPONENTS
WARRANTY



WIRE GUIDE AWNING SYSTEMS


Wire Guide Awnings are suitable for expansive windows and outdoor areas that require sun protection and privacy. The benefit of the wire guide system is that it allows the blind to be dropped to any particular height without it moving in a breeze and can be operated by either crank handle or motorised. The stainless steel cable and fittings are corrosion resistant and tie in well with stainless wire balustrade.

Choose between **L bracket** used if the ground is not levelled or **Deck hinge** used if the wall is not applicable.

GEAR OR MOTOR OPERATION OPTION


WIRE GUIDE - BASIC AWNING

- Classic exposed awning
- Suited for undercover areas
- Stainless steel fittings.
- Standard colours available for bottom rail, side channels and fittings.
- Spring-loaded top roller keeps awning taut.
- Available in 7 bracket colours.
- Custom colours available.




WIRE GUIDE - OVER-ROLL AWNING

- Folded angle hooding
- For both undercover & exposed areas.
- Available in 17 colours.
- Hooding & hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.




WIRE GUIDE - UNDER-ROLL AWNING

- Folded angle hooding with beaded edge.
- Suited for both undercover & exposed areas.
- Available in 17 colours.
- Hooding and hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.



WIRE GUIDE - MULTI-ROLL AWNING

- Smooth curved hooding
- Suited for both undercover & exposed areas.
- Available in 10 colours.
- Hooding and hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.



** Wind resistant, we strongly recommend in strong winds that awnings be retracted.

* See colour choice on page 2.

MODERN FINISH

tru style
AWNING SYSTEMS BY UNILINE



PROTECTS AGAINST



SUN



RAIN



WIND**

OPERATION OPTIONS



MOTORIZED



GEARBOX

WARRANTY



5 YEAR COMPONENTS WARRANTY




AUTOMATIC AWNING SYSTEMS

Automatic Awnings are built tough with sturdy solid side guides and arms. The arms are set off the walls and allows for a generous flow of air into open windows and prevents heat from being trapped between the material and your home. A spring-loaded top roller keeps the Awning under constant tension and helps maintain a taut, neat look over its lifetime. A simple twist and lift mechanism allows for the quick setting of desired positions anywhere along the automatic guides. Choose from 50mm or 63mm Unispring Assembly. Shade your windows from direct sunlight without losing out on fresh air, breezes and uninterrupted views.

SPRING OPERATION


AUTOMATIC - BASIC AWNING

- Classic exposed awning
- Suited for undercover areas
- Stainless steel fittings.
- Standard colours available for bottom rail, side channels and fittings.
- Spring-loaded top roller keeps awning taut.
- Available in 7 bracket colours.
- Custom colours available.




AUTOMATIC - OVER-ROLL AWNING

- Folded angle hooding
- For both undercover & exposed areas.
- Available in 17 colours.
- Hooding & hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.




AUTOMATIC - UNDER-ROLL AWNING

- Folded angle hooding with beaded edge.
- Suited for both undercover & exposed areas.
- Available in 17 colours.
- Hooding and hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.



AUTOMATIC - MULTI-ROLL AWNING

- Smooth curved hooding
- Suited for both undercover & exposed areas.
- Available in 10 colours.
- Hooding and hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.



** Wind resistant, we strongly recommend in strong winds that awnings be retracted.

* See colour choice on page 2.

SLEEK DESIGN

tru style
AWNING SYSTEMS BY UNILINE



PROTECTS AGAINST

OPERATION

WARRANTY



SUN



RAIN



WIND**



SPRING



5
5 YEAR
COMPONENTS
WARRANTY



PIVOT AWNING SYSTEMS

Pivot Awnings are Designed to deflect heat and glare while maximising light, ventilation and privacy within the home, Archline fits most windows and projects to various lengths. Choose from two strong, stylish systems: the Spring Arm Standard or the Spring Arm Plus for larger windows, patios or verandahs, both systems come with gear or motorised operation. The system comes as either a fixed arm or with a unique sliding lock extrusion that allows total control over adjusting the awning. This provides for different pitch and projection options to compensate as the season changes.

FIXED OR SLIDING ARM OPTION GEAR OR MOTOR OPERATION OPTION

PIVOT - BASIC AWNING

- Classic exposed awning
- Suited for undercover areas
- Stainless steel fittings.
- Standard colours available for bottom rail, side channels and fittings.
- Spring-loaded top roller keeps awning taut.
- Available in 7 bracket colours.
- Custom colours available.



No Hood



PIVOT - OVER-ROLL AWNING

- Folded angle hooding
- For both undercover & exposed areas.
- Available in 17 colours.
- Hooding & hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.



Hood Profile



PIVOT - UNDER-ROLL AWNING

- Folded angle hooding with beaded edge.
- Suited for both undercover & exposed areas.
- Available in 17 colours.
- Hooding and hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.



Hood Profile



PIVOT - MULTI-ROLL AWNING

- Smooth curved hooding
- Suited for both undercover & exposed areas.
- Available in 10 colours.
- Hooding and hood ends available in colorbond® colours.
- Galvanised steel powder coated hood ends.
- Custom colours available.



Hood Profile




**NEW
STYLE**

** Wind resistant, we strongly recommend in strong winds that awnings be retracted.

* See colour choice on page 2.

TOTAL CONTROL

tru style
AWNING SYSTEMS BY UNILINE



PROTECTS AGAINST



SUN



RAIN



WIND**

OPERATION OPTIONS



MOTORIZED



GEARBOX

WARRANTY

5

5 YEAR COMPONENTS WARRANTY



EXTERIOR AWNING FABRIC

SCREENVIEW FABRIC

Compliment your Tru-Style Awning System with Uniline's **ScreenVeiw 5%** fabric. Designed to withstand Australia and New Zealand's harsh climate. **ScreenView 5%** has an unsurpassed 10 Year Fabric Warranty, no wonder why this is number 1 choice in the market today.

FABRIC COLOUR RANGE



10 YEAR FABRIC WARRANTY*

Uniline's fabrics are manufactured to the highest quality. We are confident that they will stand the test of time which is why we offer an unsurpassed 10 Year Fabric Warranty*.



FLAME RETARDANT

ScreenVeiv fabrics complies with the General Requirements of the Building Code of Australia for Fire Hazard Properties of materials used. Tested to AS1530.2 & AS1530.3. Test reports available on request.



GREENGUARD® Gold

GREENGUARD® Gold Certification ensures that our interior products and materials have low chemical emissions, significantly improving the quality of the air in which the products are used. GREENGUARD® Certification is part of UL Environment.



UNIGUARD®

Developed by our R&D team at Uniline, our Uniguard® Fabric Protection system improves the durability of our fabrics by making them easier to maintain and clean. If required, clean using a mild detergent and sponge. Wipe off using clean warm water.



OEKO-TEX®

"Confidence in Textiles" is the motto for Oeko-Tex®. Fabrics undergo independent testing for harmful substances to ensure that there is no risk whatsoever to health.

DESIGNED FOR THE HARSH CLIMATE

PROTECTS AGAINST



SUN



RAIN



WIND

WARRANTY





UNIGLIDE EXT 30 AC MOTOR

OPTION

The UniGlide Ext AC 30 is the perfect choice for all sizes of external awnings with an impressive torque of 30Nm at 17rpm. Whether at home or away have full control of your awnings by using the UniGlide-Neo Home Automation System. Step into the future of smart home technology.



UniGlide
By Uniline



UNIGLIDE REMOTE CONTROL

OPTION

With the simplest integration and finest design, choose from either a single or multi-channel remote to operate your blinds. Each channel can be controlled individually, or you have the capacity to group specific blinds together.



UniGlide
By Uniline



UNIGLIDE NEO-APP BOX CONTROL

OPTION


UniGlide-Neo home automation is versatile and easy to set up. Simply purchase the Neo App Box, UniGlide Motor and download the free Neo Smart Blinds App (available on both Android and Apple devices). A key feature of the app is that it allows you to remotely control you blinds whilst you are away from your home, and to set up weekly schedules for the opening and closing of your awnings.

UniGlide

By Uniline



UniGlide-Neo App Box



NOW AVAILABLE AT A SUPPLIER NEAR YOU...



AUSTRALIA

FOR WHOLESALE SALES

AUSTRALIA - 1800 777 331 | sales@uniline.com.au | www.uniline.com.au